GSA# GS-27F-008DA Discount from List is 56.50%. This is inclusive of our IFF Fee. GSA# GS-27F-007DA Visual Products. Discount from List is 56.50%. This is inclusive of our IFF Fee. Nevers Contract is valid through January 24, 2021.

Simple™

General Services Administration

Federal Supply Service

Authorized Federal Supply Schedule Catalog & Price List On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA Advantage!(tm), a menu–driven database system.

The INTERNET address for GSA Advantage!(tm) is http://www.GSAAdvantage.gov
Federal Supply Schedule for Office Furniture
Schedule 71, Part I
FSC Groups 7105, 7110, 7125, 7
Revision #6, Dated July 21, 2006

Contract Number

GS-27F-007DA Visual Products, GS-27F-008DA For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at http://www.GSAAdvantage.gov

Contract Period

January 25, 2016 through January 24, 2021

Contractor Name and Ordering Address

Nevers Industries, Inc. 6845 Wedgwood Court N, Maple Grove, MN 55311

Phone: (800) 242-2443 | Fax: (763) 553-1770

Email: orders@nevers.com

Information for Ordering Activities

Business Classification/Size: Small Business GSA Discount = 56.5% off published List Price.

la. Award Special Item Numbers:

GS-27F-007DA - SIN: 711-20 GS-27A-008DA

- All Other SIN Numbers

lb. Lowest price per SIN: 711-20 = Model R/PLT Blank Plate = \$10.00.

2. Order Limitation SIN: 711-2, 711-8, 711-9, 711-11 = \$500,000.00

SIN: 711-91, 711-94, 711-95 = \$150,000.00 SIN: 711-20 = \$100,000.00

(any installation over \$500.00 must be negotiated prior to order placement).

- 3. Minimum order: \$100.00. Orders less than \$2,000.00 subject to \$200.00 Shipping and Handling charge.
- 4. Geographic Coverage: 48 Contiguous States, and the District of Columbia.
- 5. Production Point: Maple Grove, MN.
- Discount from List Price: Net discount already deducted from list prices.
- 7. Volume Discounts: None.
- 8. Prompt Payment Discount: 1% 20 days (from date of shipment), Net 30 days.
- 9a. Government Commercial Credit Card is accepted below the micropurchase threshold. (with no additional discounts).
- 9b. Government Commercial Credit Card is accepted above the micropurchase threshold. (with no additional discounts).
- 10. All items made in U.S.A.
- 11a. Time of Delivery: 60 days or less After Receipt of Order.
- 11b. Expedited Delivery: Quick Ship items are highlighted price book. Visual Boards and System Boards are available in to ship within 5 days after order is received and acknowledged. All other products are available to ship in 10 working days. Larger orders may be subject to availability.
- 11c. Overnight and 2nd Day delivery: See 11b Air or express freight, will calls and special delivery will be quoted and invoiced separately.

- 11d. Urgent Requirements: Call Factory.
- 12.FOB Destination. Freight is prepaid and allowed for normal ground transportation within the 48 contiguous states (minimum freight charge of \$200.00 applies to orders of less than \$2,000.00 net per destination.) Air freight, will calls, and special delivery will be quoted and invoiced separately. Prices do not include installation or sales tax. Nevers Industries, Inc. is not responsible for freight delays due to strikes, lookouts, weather, or other causes beyond our control.

13. Ordering Address: Nevers Industries, Inc. 6845 Wedgwood Court N Maple Grove, MN 55311 Phone: (800) 242-2443

Fax: (763) 553-1770 Email: orders@nevers.com

- 14. Payment Address: Same as #13 above.
- 15. Warranty: Nevers Industries, Inc. warrants its products to be free from defects in material and workmanship under normal and reasonable use and service for a period of ten years from date of shipment to customer. The decision of defects in workmanship or materials or the decision of misuse or abuse remains with Nevers Industries, Inc. No warranties other than those contained herein will be implied and Nevers Industries, Inc. does not authorize any person to create any warranties other than those contained herein.
- 16. Export Packing Charges: Quoted upon request
- 17. Terms and Conditions of Government purchase card acceptance: upon invoicing.
- 18. Terms and Conditions of rental, maintenance and repair: N/A.
- 19. Terms and Conditions of installation: N/A.
- 20. Terms and Conditions of repair parts: N/A.
- 21. List of service and distribution points: N/A.
- 22. List of participating dealers: contact customer service for dealer listing.
- 23. Preventative maintenance: N/A.
- 24. Year 2000 (Y2K) compliant: Yes.
- 25. Environmental attributes: N/A.
- 26. Data Universal Number System (DUNS) number: 09-1732412 Federal Id. Number: 41-1291670 Cage Code Number: 02UD4
- Nevers Industries, Inc. is registered in the Central Contractor Registration (CCR) database.

Cancellation/Changes/Return Policy

No cancellation charges prior to production. After production, only actual costs incurred that can not be recovered during a reasonable length of time (six months). Nevers Industries, Inc. will make every attempt to honor any reasonable change request provided that the request is received prior to start of production. Nevers Industries, Inc. reserves the right to increase our acknowledged price to make the requested changes.

Restock Policy

Merchandise may not be returned without the consent of Nevers and a Return Goods Authorization Form from Nevers' customer service department. If approved, the customer shall be responsible for a 25% restocking fee.

| Collection features and benefits | 5 |
|--|-------|
| Terms and conditions | 6-7 |
| General specifications | 8-9 |
| Power/voice/date/av (PVD) service center | 10-11 |
| Articulating table tops and bases | 12 |
| Meeting Link™ for articulating tables | 13 |
| Simple™ Conference Table Tops and Bases | |
| Rectangle tables | 14 |
| Arc rectangle tables | 15 |
| Boat tables | 16 |
| Arc boat tables | 17 |
| Racetrack tables | 18 |
| Viewpoint tables | 19 |
| Simple™ Elements | |
| Storage credenzas/e-credenzas | 20 |
| Storage/display cabinets | 20 |
| Finishing tops | 20 |
| Buffet credenzas | 20 |
| Low credenzas | 22 |
| Wall mount buffet | 22 |
| Mount for plasma monitor | 22 |
| Hospitality cart | 23 |
| Lectern | 23 |
| Visual boards | 23 |
| Simple™ Preconfigured | |
| Storage credenzas | 24-25 |
| Buffet credenzas | 25 |

Configured Your Way

That is the reason that Nevers introduced the Simple Collection. To allow you to easily specify the required product configurations and to easily specify multi-functional meeting and conferencing rooms with flexible products.

The key to Simple is interchangeable components in multiple sizes and finishes which perfectly suit any small enclave, team room, project room, full scale meeting or conference room.

It's also beautiful. Simple furniture is striking to look at in every finish and configuration. We build it to your specifications in the size, configuration, finish color, and base you select for the customers' space. Its design is cleanly contemporary and enduringly classic. Casegood tops and door fronts are offered in frosted glass, silver colorcoat and wood finishes. Table legs are produced in aluminum and wood and effectively house power cabling for the discreet containment of electrical and data cords. You can choose one piece or build entire rooms to your exact specifications knowing that the design is clean, current and capable.

Conference Tables

The Simple Conference Tables are stylized in a cleanly contemporary design that compliments any design format. The support structure allows all cabling for power and AV to be installed prior to the table top being attached. This eliminates damage to the top during installation and significantly reduces the complexity of cable routing and installation time.

Casegoods

Casegoods represent the ultimate form of multiplicity from simplicity. The collection consists of multiple versions of single wide and double wide cabinets that can be specified in an unlimited number of configurations with varying door materials and cabinet top options. The cabinets are designed to be specified and used in two ways. The first is as modular furniture. The cabinets may be specified as stand-alone modules that are simply butted together at installation to form the required piece—credenza, mediawall, storage tower. Modular cabinets enhance the contemporary styling of the space and allow the end user maximum flexibility for future growth, such as reconfiguring the room or using the cabinets in other rooms.

Secondly, the Simple cabinets may be specified with a common connecting top. This maintains the ease of configuring the cabinets to the customers' requirements, while presenting a more traditional single piece furniture appearance. For ease of specifying, the Simple cabinets are also offered as preconfigured cabinets in the most commonly requested configurations. It's simple, and it's specification-friendly. If you are in a hurry, let us plan the room for you with individual pieces specified and floorplanned in multi-application formats. That's simple, too.

The Simple Casegoods are offered in two depths. The 16" depth is the preferred cabinet for smaller rooms. The 22" depth is scaled for larger rooms and rooms requiring AV components and power accommodations. The double wide 22" deep e-cabinets are vented and ready to accept a rack mount for AV components. For simplicity in ordering and security for the end user, cabinets are standard with locks. Locks are not available on glass door cabinets.

As an added bonus, you will find the furniture in the Simple Collection to be competitively priced. The Simple Collection maintains our reputation for "high quality product designs, crafted only with the highest qualities of material and workmanship and delivered trouble-free as promised". It is through design engineering that we are able to offer the Simple Collection at surprisingly competitive pricing.

Credit and Payment Terms

Nevers Industries Inc policy does not allow for automatic open account terms for new customers, customers whose account is not current, individuals or residential accounts. New customers are required to make a deposit for the full value of the merchandise ordered. A credit application will be sent to each new customer. Credit will be established upon review of the responses given by the customer's references and will appear on future order acknowledgements. New customers are encouraged to begin establishing a credit rating with Nevers Industries Inc prior to placing an order. Our customers are responsible to provide the necessary current and accurate information. Upon establishment of an open account, terms are Net 30. 1 1/2% per month service charge will be added to all past due accounts. Accounts that are 90 days past due will be subject to collection proceedings without any additional notice. Orders will not be processed for past due accounts until the amount due, including any service charges, is paid in full. Standard product orders exceeding \$50,000 net will require a down payment of 33%. Custom orders will require a down payment of 50% and will not be scheduled for production until the down payment is received. Balance is then due before shipment. A bank letter of credit may be required for any order over \$50,000 net.

Prices

Our prices are list, freight prepaid, F.O.B. Plymouth, Minnesota, and are subject to change without notice. Quoted prices must be accepted within 30 days or re-quoted for date and approval. Freight is prepaid and allowed for normal ground transportation within the 48 contiguous states, must ship to dock location. Air freight, will calls, and special delivery will be quoted and invoiced separately. Prices do not include installation, storage, or sales tax.

Packaging

Nevers Industries Inc pricing includes packing for North American shipment. Whenever possible, Nevers will blanket-wrap your order; otherwise, all products will be packaged. Only environmentally safe packing materials are used. Large furniture pieces will be packed with wood reinforcements for added protection. For special packaging, crating or overseas shipment, please contact our Customer Service Department.

Delivery

Nevers Industries Inc will select the method of shipment, carrier and routing. Carrier selection is solicited to provide the best service to each customer in their particular location. All shipments are sent prepaid, FOB Plymouth, Minnesota. Nevers Industries Inc liability ends when the carrier issues a receipt to Nevers Industries Inc. This is an acknowledgement by the transportation company that the shipment has been received by the freight company in good condition and title of the goods and risk of loss transfers to the buyer. The order shall be considered complete. Prepaid freight does not

change the F.O.B. status of the product and risks involved in the shipment. We reserve the right to make partial shipments. Invoices relevant to the partial shipments are payable as they fall due.

Freight Terms

All orders under \$2,000 net are subject to a minimum order/additional freight charge of \$200 net; Nevers Industries Inc also reserves the right to establish a freight and fuel surcharge fee to cover variable freight costs. This charge will be established at the time of order and acknowledgement date.

Lead Times

The lead time on an order begins when Nevers' Order Entry Department has verified the validity of the items ordered and has received at our manufacturing facility all COM materials supplied by others. All acknowledgments will contain current lead time information. If for some reason the buyer does not want it early, please list a Do Not Ship before date. We are not responsible for delays in scheduling or failure to make scheduled shipping date due to strikes, lockouts or other labor complications, war, riots, Acts of God, fires, accidents, restraints affecting shipment or credit, reduced supply or excessive cost of fuel or raw material, delays from suppliers, compliance with Government regulations, or other unforeseen contingencies. When delays in product delivery are caused by the purchaser, we reserve the right to draw up to 100% of the contract price and to charge to the purchaser any costs incurred by us due to such.

Order Acknowledgement

All orders are subject to final acceptance by Nevers Industries, Inc. Receipt of our acknowledgement indicates acceptance of your order subject to the terms and conditions set forth in Our Acknowledgement. If pricing on the purchase order is different than the acknowledged pricing, the acknowledgement will take precedent over the purchase order. Nevers Industries, Inc. attempts to clarify all orders. But in the event of any discrepancy, please notify Nevers Industries Inc immediately. Failure to notify Nevers of a discrepancy within five (5) days will constitute acceptance of the order as acknowledged. All orders are subject to credit approval at any time.

Change Orders

Nevers Industries, Inc. will make every attempt to honor any reasonable change request to standard product provided that the request is received prior to start of production. Change orders will be accepted only if the request is made in writing and received in time to make the change. Nevers Industries, Inc. reserves the right to increase our acknowledged price and ship date if necessary to make the requested changes.

Nevers Industries Inc will make every reasonable effort to stop production, scheduling shipments, etc., upon receipt of written notification of changes, cancellations, or deferments of delivery.

Nevers will assess charges to the customer for change orders, cancellations, and delivery deferments as stipulated in the following:

Change Orders:

- Received prior to start of production will be charged \$200
- Received after production has started involving design changes or reductions in quantity will not be accepted. The customer will receive the goods as ordered and be liable for the amount due.

Cancellations:

- Received prior to start of production will be assessed a \$500 net cancellation charge.
- Received after production has started will be assessed the total accumulated cost of the project plus a \$500 net cancellation charge.

Deferred Shipments

All merchandise will ship upon completion of production. If customer is unable to take delivery of merchandise when ready for shipment, Nevers Industries, Inc. may transfer the merchandise to storage. All cost for storage and freight will be at customer's expense. Transfer to storage will be considered delivery for all purposes including invoicing and payment. Customer will bear the risk of loss or damage during storage. Deferred shipment charges will be assessed from the completion date in accordance with Nevers policy for Storage by the Manufacturer.

Storage By The Manufacturer

No shipment can be postponed by the customer. Nevers Industries Inc reserves the right to transfer products to storage and issue its invoice for the products at that time. Such transfer to storage shall be deemed delivery to the customer for all purposes. Long term storage over 30 days may be subject to surcharges.

Shipment Claims

Legal title of merchandise passes to the buyer upon acceptance by the carrier. The buyer must inspect all cartons on arrival for visible or concealed damage. In the event of visible freight damage, the buyer must make a notation on the freight bill; immediately notify the carrier for an inspection; and file a freight claim. Do not sign the receipt until the visual inspection is complete at the time of delivery. If concealed damage is discovered, the carrier must be notified within 15 days. Keep all packaging materials for inspection (do not destroy). The buyer has the sole obligation of seeking recourse against the carrier. Caution: When a clear receipt is obtained by a carrier, the carrier is no longer responsible for damages or shortages. Damaged freight cannot

be refused by the consignee (buyer). Processing claims for damages and shortages are the responsibility of the buyer. At no time can claims be deducted from our invoices.

Returns

All Nevers Industries, Inc. products are made to order. Therefore, merchandise may not be returned without specific consent from Nevers Customer Service Department. Unauthorized returns will be refused by the shipping department.

Miscellaneous

All merchandise shown in our catalog is the property of Nevers Industries Inc. We reserve the sole right to manufacture and distribute it. All patterns, tools, and designs developed for the production of any product will remain the property of Nevers Industries Inc. All published dimensions are approximate and if the exact sizes are critical, we suggest that you request actual measurements. Price list data supersedes all other specifications, whether verbal or written, and may not be altered without the written consent of an officer of Nevers Industries Inc. Typing and clerical errors on any agreement, publication, correspondence, price list, or product literature pieces are subject to correction at any time without notice. Due to variations beyond our control, all wood and upholstery products are subject to slight variations in color, texture, and grain.

Specifications

Nevers Industries, Inc. reserves the right to change prices, specifications, fabrics, dimensions and finishes at any time without prior notice. This right to change also applies to discontinuing models at any time, catalog contents and price list contents.

Warranty

Nevers Industries, Inc. warrants its products to be free from defects in material and workmanship under normal and reasonable use and service for a period of ten years from the date of shipment to customer. Proprietary supporting products, which are manufactured by others and sold by Nevers Industries, Inc. carry the original manufacturer's warranty. The decision of defects in workmanship or materials or the decision of misuse or abuse remains with Nevers Industries, Inc. No warranties other than those contained herein will be implied and Nevers Industries, Inc. does not authorize any person to create any warranties other than those contained herein.

AWI "A" Grade Wood Veneers

Simple products are crafted in "A" grade wood veneers available in Mahogany, Black Walnut, White Oak, Cherry and Maple. Veneer panels are 3-ply balanced construction, are laid up with plain sliced face veneers and are balanced on back to minimize warping and to balance natural stresses. Cores are either 45# particleboard, or 55# medium density fiberboard, per ANSI standards 208.1 or 208.2. Face veneers meet or exceed AWI custom standards and are "A" grade. All "A" face veneers are center matched and either book or slip matched and are laid up to Nevers' custom specifications.

Wood Veneer Finishes

Standard wood veneers finishing process is a multi-step procedure involving dyes, stains, toners, sealers, lacquer. For added protection and durability, the final topcoat on all horizontal surfaces is a catalyzed-blended, lacquer/varnish finish. All finishing processes have been formulated to provide maximum durability and clarity, and to enhance the natural characteristics of each particular wood species. Standard finish is open pore. Semi-filled and filled finishes require an up charge and may extend the lead-time. Please contact Customer Service for pricing and availability on these and other wood species.

Note: Color variation will occur in the grain of all wood species. This is an inherent characteristic caused by the annual growth rings found in all hardwoods and by the manner in which the boards and veneers are cut across these growth rings. In some species, this color variation is very subtle. In other species this color variation is obvious and at times radical.

The process of finishing hardwood veneers determines whether these variations are enhanced or subdued. Natural finishes will show color variations in the grain and enhance the beauty of the wood to its fullest extent. Other stains, toners, and finishes tend to blend these variations, dependent upon the depth of color and the particular method of application.

Color Index for AWI "A" Grade Wood Veneers

Wood Species and Colors

Natural Beech

NB

| • | | | |
|-----------------|----|---------------------|------|
| Oak | | Walnut | |
| Natural Oak | NO | American Walnut | AW |
| Medium Oak | MO | Dark Walnut | DW |
| Dark Oak | DO | Mahogany on Walnut | MW |
| Ebony on Oak | EO | Presidential Walnut | PW |
| | | Espresso Walnut | EW |
| | | | |
| <u>Mahogany</u> | | Cherry | |
| Light Mahogany | LM | Natural Cherry | NC |
| Brown Mahogany | BM | Amber Cherry | AC |
| Dark Mahogany | DM | Brown Cherry | BC |
| | | Medium Cherry | MC |
| | | Dark Cherry | DC |
| | | Expresso Cherry | PC |
| | | Cinnamon Cherry | CC |
| | | | |
| Maple | | Ash | |
| Natural Maple | NP | Natural Ash | NA |
| Golden Maple | GP | Cocoa Ash | CA |
| Copper Maple | PP | Au | tumn |
| Maple | TP | | |
| Ebony Maple | EP | | |
| Honey Maple | YP | | |
| Honey Mapie | | | |
| Beech | | | |
| · | | | |

Custom Wood Colors and Finishes

Nevers offers the capability of matching your custom stains or finishes. Virtually any wood finish or color sample can be matched to your specifications. A finish or stain sample is required before the process of matching approval can begin. The upcharge for custom finishes varies with the type of finish and also with the quantity ordered. Please contact Customer Service for piecing and availability. For custom stain/color match—any order under \$2000 net there is a \$270 net up charge. Engineered wood veneers cannot be custom stained.

Color Index for Engineered Veneers

Wood Pattern and Colors

ColorCoat

Standard ColorCoat is a painted wood core of 48# medium density fiberboard, per ANSI standards 208.1 or 208.2. Special colors are available and may require an up charge and extend lead-time. Please contact Customer Service for pricing and availability.

Optional Glass Tops

Credenza glass tops are 3/8" thick and are etched on the back for a semi-transparent appearance. Optional adjustable glass shelves are clear. Optional buffet shelf glass tops are 1/2" thick and are etched on the back for a semitransparent appearance. HydroShield™ fingerprint protectant can be applied for \$17.00 per square foot. Call **Customer Service** for details.

ColorCoat and Metal Colors

Simple products ship standard with Silver Fog colorcoat and Platinum metal. For other colors please contact our Customer Service Department at 800-242-2443. Fabric Color for Visual Boards Any C.F. Stinson—Pattern "Mira" series may be specified. If not specified, ships standard with Shadow.

Furniture Care, Cleaning and Maintenance Instructions WOOD SURFACES

Your Nevers' furniture requires only minimal care to ensure years of lasting beauty and performance. Any spilled liquids should be wiped up immediately with a dry soft cloth. On a weekly basis dust the wood surface, then clean with a damp, soft cloth, wiping in the direction of the wood grain. Surface should then be dried with a dry, soft cloth. On a semi-annual basis, after the weekly cleaning, clean the wood surfaces with a quality wood cleaner such as Guardsman Wood Cleaner. Products containing oil, ammonia or silicon should not be used. For specific questions about Furniture Care, Cleaning and Maintenance, contact Nevers Customer Service at 800-242-2443.

UNDERSTANDING NEVERS MEETING LINK™

The Nevers Meeting Link System is comprised of Technology Centers and Power Centers

Technology Centers

Technology Centers conform to UL 183, 20 AMP plug is the standard for manufactured electrical systems. Nevers proprietary Technology Centers use modular power connections, are daisy chainable and are ideal for all installations where multiple electrical outlets connect to a single power in-feed. They are available in single or multiple circuits. Technology Centers can be hardwired or connected with a molded plug. Data and AV are easily integrated in Technology Centers.

INSTALLATION: Technology Centers are installed in the table base system before the top is placed. This provides electrical, data and audio visual contractors a convenient, well lit work area. The table top is placed on the base system after technology integration is complete. This helps prevent table top damage attributable to third party contractors.

Power Centers

Power Centers conform to UL962A, the standard for furniture power distribution units. Power centers connect directly to a power outlet with a molded plug. Power Centers are a flexible, cost effective solution for mobile or light duty applications. Power Centers do not connect in series. Data and basic AV connections are easily integrated in Power Centers.

INSTALLATION: Power Centers drop through the table top. They are the last part of the table to be installed. This is a quick and simple installation process for light duty power/voice/data applications.


Pre-Configured Meeting Link™

Nevers offers pre-configured Meeting Link solutions for all tables. This is an easy, trouble free method to specify power, voice and data connections. Whether you have light, medium or heavy applications, there is a convenient pre-configured solution.


Custom Meeting Link™

Meeting Link can be custom configured to meet any specific requirement. All Meeting Link products are available "a'la cart" so you can develop a system that meets your clients exact needs.

TECHNOLOGY CENTERS




POWER CENTERS



Preconfigured Meeting Link™ System 3: Light Capacity

Technology Center Dimensions: 8"I x 6"w



| Table Length | Number of Technology Centers | Electrical Outlets | Voice, Data and AV Port Capacity |
|-----------------|------------------------------------|-----------------------|--|
| | _ | _ | _ |
| 8' | 1 | 2 | 6 |
| 10' | 1 | 2 | 6 |
| 12' | 2 | 4 | 12 |
| 14' | 2 | 4 | 12 |
| 16' | 2 | 4 | 12 |
| 18' | 2 | 4 | 12 |
| 20' | 3 | 6 | 18 |
| 22' | 3 | 6 | 18 |
| 24' | 3 | 6 | 18 |
| 26' | 4 | 8 | 24 |

Technology Centers for Customizing Meeting Link™ Capacities

Please note – location drawing required*

| Technology Center Dimension | Number of Electrical Outlets | Voice, Data and AV Port Capacity | |
|-----------------------------------|------------------------------------|--|--|
| 8"l x 6"w | 2 | 6 | |
| 12"l x 6"w | 2 | 6 | |

^{*} A drawing of the table top with the location of each Technology Center is required. If ordering multiple Technology Centers for 1 table, specify on drawing if ganging is required. For additional assistance in specifying/ordering Technology Centers, please contact customer service at 800.242.2443.

Simple" articulating table tops and bases







| 48" wid | le x 39" wide er | nds | wood projector end with silver metal C leg | modesty panels 12" high MP | meeting link for full table 03 | for presentation end only 02 | |
|---------|------------------|----------------|--|---|---|------------------------------|--|
| Length | Size | Model Number | Price | Price | Price | Price | |
| 8′ | 96" x 48" | M/E1/TAO/09648 | \$10,952 | \$2,013 | \$2,838 | \$946 | |
| 10" | 120" x 48" | M/E1/TAO/12048 | 11,758 | 2,130 | 2,838 | 946 | |
| 12" | 144" x 48" | M/E1/TAO/14448 | 12,941 | 2,480 | 4,730 | 946 | |
| 14" | 168" x 48" | M/E1/TAO/16848 | 15,245 | 2,809 | 4,730 | 946 | |

| CO | | | I- I | |
|----|------|------|----------|--|
| | | | | |
| | | | | |

| station | ary top | | with silver metal C leg | modesty panels 12" high MP |
|----------|------------|-------------------|----------------------------|---|
| Length | Size | Model Number | Price | Price |
| 4' | 48" x 24" | M/E1/TCO/04824/ST | \$2,608 | \$971 |
| 5" | 60" x 24" | M/E1/TCO/06024/ST | 2,753 | 1,068 |
| 6" | 72" x 24" | M/E1/TCO/07224/ST | 2,914 | 1,129 |
| flip top | | | | |
| | | / / | 40 | . |
| 4' | 96" x 48" | M/E1/TCO/04824/FT | \$3,573 | \$971 |
| 5" | 120" x 48" | M/E1/TCO/06024/FT | 3,772 | 1,068 |
| 6" | 144" x 48" | M/E1/TCO/07224/FT | 3,970 | 1,129 |

how to order

please specify example

1. model number

M/TAO/16848 DC

2. wood color

3. optional modesty panel4. optional power/voice/data 03

see page 6 for wood colors

meeting link™ for articulating tables

specifications for preconfigured power/voice/data

| table | full table technology centers | presentation end only technology centers | table seating capacity | closed | open | with connector table | |
|--------|-------------------------------|--|------------------------------|----------|----------|----------------------|--|
| length | quantity | quantity | length | capacity | capacity | capacity | |
| 8′ | 3 | 1 | 8′ | 8 | 7 | 10 | |
| 10' | 3 | 1 | 10' | 10 | 9 | 12 | |
| 12' | 3 | 1 | 12' | 12 | 11 | 14 | |
| 14' | 3 | 1 | 14' | 14 | 13 | 16 | |

specifications for each technology center



Dimensions: 12"l x 6"w Number of outlets: two (2)

Voice/data/av connectors: capacity for up to 6 connectors

 $Technology\ center\ for\ presentation\ end\ includes:\ access\ grommet\ for\ connection\ to\ projector\ and\ permanent\ cord\ storage$

Cover is brushed aluminum

technology center connectors

Electrical jumper connects the technology centers

table to floor connector

Single circuit power in-feed from table to floor with soft cord plug-in

connectivity and docking station for projector built into table base

When ordered with any meeting link $\mbox{^{\intercal M}}$ option



Projector mounts in base to allow immediate access. Easy table top connectivity for notebooks.

Simple" conference table tops and bases

rectangle tables

| 48" wide | | | half panel bases HB | panel bases PB | rectangle bases RB | combination half panel/ bases HP | combination panel/ rectangle bases PR | meeting link optional power/ voice/data 03 |
|----------|------------|--------------|----------------------------------|-------------------|---------------------------------|--|---------------------------------------|---|
| length | size | model number | price | price | price | price | price | price |
| 8' | 96" x 48" | M/TC1/09648 | \$6,565 | \$6,006 | \$6,305 | na | na | \$693 |
| 10' | 120" x 48" | M/TC1/12048 | 7,478 | 6,919 | 7,265 | na | na | 693 |
| 12' | 144" x 48" | M/TC1/14448 | 9,509 | 8,670 | 9,104 | \$9,270 | \$8,973 | 1,386 |
| 14' | 168" x 48" | M/TC1/16848 | 10,515 | 9,676 | 10,160 | 10,252 | 10,015 | 1,386 |
| 16' | 192" x 48" | M/TC1/19248 | 11,521 | 10,682 | 11,216 | 11,233 | 11,055 | 1,386 |
| 18' | 216" x 48" | M/TC1/21648 | 12,527 | 11,688 | 12,272 | 12,213 | 12,098 | 1,386 |
| 20' | 240" x 48" | M/TC1/24048 | 14,557 | 13,439 | 14,111 | 14,192 | 13,910 | 2,079 |
| 22' | 264" x 48" | M/TC1/26448 | 15,563 | 14,445 | 15,169 | 15,175 | 14,952 | 2,079 |
| 24' | 288" x 48" | M/TC1/28848 | 16,569 | 15,452 | 16,225 | 16,156 | 15,993 | 2,079 |
| 26' | 312" x 48" | M/TC1/31248 | 17,575 | 16,458 | 17,281 | 17,135 | 17,034 | 2,772 |
| 54" wide | | | | | | | | |
| 8' | 96" x 54" | M/TC1/09654 | \$7,279 | \$6,684 | \$7,018 | na | na | \$693 |
| 10' | 120" x 54" | M/TC1/12054 | 8,309 | 7,722 | 8,098 | na | na | 693 |
| 12' | 144" x 54" | M/TC1/14454 | 10,528 | 9,636 | 10,116 | \$10,265 | \$9,972 | 1,386 |
| 14' | 168" x 54" | M/TC1/16854 | 11,656 | 10,763 | 11,301 | 11,365 | 11,139 | 1,386 |
| 16' | 192" x 54" | M/TC1/19254 | 12,784 | 11,890 | 12,486 | 12,465 | 13,475 | 1,386 |
| 18' | 216" x 54" | M/TC1/21654 | 13,912 | 13,017 | 13,668 | 13,564 | 15,463 | 1,386 |
| 20' | 240" x 54" | M/TC1/24054 | 16,133 | 14,940 | 15,687 | 15,730 | 16,630 | 2,079 |
| 22' | 264" x 54" | M/TC1/26454 | 17,260 | 16,067 | 16,872 | 16,829 | 17,178 | 2,079 |
| 24' | 288" x 54" | M/TC1/28854 | 18,389 | 17,197 | 18,057 | 17,928 | 17,799 | 2,079 |
| 26′ | 312" x 54" | M/TC1/31254 | 19,517 | 18,325 | 19,241 | 19,028 | 18,965 | 2,772 |
| | | | · | , | , | , , , , , , , , , , , , , , , , , , , | • | , |
| 60" wide | | | | | | | | |
| 8' | 96" x 60" | M/TC1/09660 | \$7,833 | \$7,239 | \$7,599 | na | na | \$693 |
| 10' | 120" x 60" | M/TC1/12060 | 8,917 | 8,320 | 8,736 | na | na | 693 |
| 12' | 144" x 60" | M/TC1/14460 | 11,192 | 10,297 | 10,813 | \$10,912 | \$10,658 | 1,386 |
| 14' | 168" x 60" | M/TC1/16860 | 12,469 | 11,481 | 12,055 | 12,065 | 11,882 | 1,386 |
| 16′ | 192" x 60" | M/TC1/19260 | 13,557 | 12,662 | 13,296 | 13,217 | 13,107 | 1,386 |
| 18' | 216" x 60" | M/TC1/21660 | 14,738 | 3,846 | 13,928 | 14,371 | 14,331 | 1,386 |
| 20' | 240" x 60" | M/TC1/24060 | 17,015 | 15,823 | 16,614 | 16,589 | 16,377 | 2,079 |
| 22' | 264" x 60" | M/TC1/26460 | 18,196 | 17,004 | 17,855 | 17,752 | 17,600 | 2,079 |
| 24' | 288" x 60" | M/TC1/28860 | 19,380 | 18,188 | 19,097 | 18,895 | 18,824 | 2,079 |
| 26' | 312" x 60" | M/TC1/31260 | 20,561 | 19,369 | 20,338 | 20,048 | 20,048 | 2,772 |

combination base configurations how to order

| please specify | example | table length | half panel/panel bases | panel/rectangle bases |
|--|-------------|---|---|---|
| 1. model number & base code 2. wood color 3. optional power/voice/data notes: see page 6 for wood colors see page 8 for power/voice/data | DC 03/HW | 12' - 18' 20' - 24' 26' rectangle) | 2 half panel & 1 panel 2 half panel & 2 panel 3 half panel & 2 panel (alternating half panel/pane | 2 panel & 1 rectangle 2 panel & 2 rectangle 3 panel & 2 rectangle 1)(alternating panel/ |

arc rectangle tables

| 48" wide | | | half panel bases HB | panel bases PB | rectangle bases RB | combination half panel panel bases HP | combination panel rectangle bases PR | meeting link optional power/ voice/data 03 |
|----------|------------|--------------|----------------------------------|-------------------|--------------------------|---|--------------------------------------|--|
| length | size | model number | price | price | price | price | price | price |
| 8' | 96" x 48" | M/TD1/09648 | \$6,893 | \$6,305 | \$6,621 | na | na | \$693 |
| 10' | 120" x 48" | M/TD1/12048 | 7,850 | 7,265 | 7,628 | na | na | 693 |
| 12' | 144" x 48" | M/TD1/14448 | 9,984 | 9,104 | 9,558 | \$9,735 | \$9,422 | 1,386 |
| 14' | 168" x 48" | M/TD1/16848 | 11,040 | 10,160 | 10,668 | 10,764 | 10,516 | 1,386 |
| 16' | 192" x 48" | M/TD1/19248 | 12,096 | 11,216 | 11,776 | 11,794 | 11,609 | 1,386 |
| 18' | 216" x 48" | M/TD1/21648 | 13,153 | 12,272 | 12,887 | 12,825 | 12,704 | 1,386 |
| 20' | 240" x 48" | M/TD1/24048 | 15,285 | 14,111 | 14,817 | 14,903 | 14,606 | 2,079 |
| 22' | 264" x 48" | M/TD1/26448 | 16,343 | 15,169 | 15,927 | 15,933 | 15,699 | 2,079 |
| 24' | 288" x 48" | M/TD1/28848 | 17,398 | 16,225 | 17,035 | 16,964 | 16,793 | 2,079 |
| 26' | 312" x 48" | M/TD1/31248 | 18,455 | 17,281 | 18,145 | 17,992 | 17,886 | 2,772 |
| 54" wide | | | | | | | | |
| 54 wide | | | | | | | | |
| 8' | 96" x 54" | M/TD1/09654 | \$7,643 | \$7,018 | \$7,367 | na | na | \$693 |
| 10' | 120" x 54" | M/TD1/12054 | 8,724 | 8,222 | 8,503 | na | na | 693 |
| 12' | 144" x 54" | M/TD1/14454 | 11,055 | 10,116 | 10,623 | \$10,780 | \$10,470 | 1,386 |
| 14' | 168" x 54" | M/TD1/16854 | 12,240 | 11,301 | 11,866 | 11,935 | 11,698 | 1,386 |
| 16' | 192" x 54" | M/TD1/19254 | 13,425 | 12,486 | 13,109 | 13,089 | 12,922 | 1,386 |
| 18' | 216" x 54" | M/TD1/21654 | 14,607 | 13,668 | 14,352 | 14,242 | 14,147 | 1,386 |
| 20' | 240" x 54" | M/TD1/24054 | 16,940 | 15,687 | 16,471 | 16,517 | 16,237 | 2,079 |
| 22' | 264" x 54" | M/TD1/26454 | 18,125 | 16,872 | 17,716 | 17,672 | 17,461 | 2,079 |
| 24' | 288" x 54" | M/TD1/28854 | 19,308 | 18,057 | 18,959 | 18,825 | 18,688 | 2,079 |
| 26' | 312" x 54" | M/TD1/31254 | 20,492 | 19,241 | 20,202 | 19,980 | 19,914 | 2,772 |
| 60" wide | | | | | | | | |
| 8' | 96" x 60" | M/TD1/09660 | \$8,226 | \$7,599 | \$7,980 | na | na | \$693 |
| 10' | 120" x 60" | M/TD1/12060 | 9,363 | 8,736 | 9,173 | na | na | 693 |
| 12' | 144" x 60" | M/TD1/14460 | 11,751 | 10,813 | 11,353 | \$11,457 | \$11,190 | 1,386 |
| 14' | 168" x 60" | M/TD1/16860 | 12,993 | 12,055 | 12,657 | 12,668 | 12,476 | 1,386 |
| 16' | 192" x 60" | M/TD1/19260 | 14,234 | 13,296 | 13,961 | 13,879 | 13,761 | 1,386 |
| 18' | 216" x 60" | M/TD1/21660 | 15,476 | 14,538 | 15,264 | 15,089 | 15,046 | 1,386 |
| 20' | 240" x 60" | M/TD1/24060 | 17,866 | 16,614 | 17,444 | 17,419 | 17,195 | 2,079 |
| 22' | 264" x 60" | M/TD1/26460 | 19,107 | 17,855 | 18,748 | 1,862 | 18,480 | 2,079 |
| 24' | 288" x 60" | M/TD1/28860 | 20,349 | 19,097 | 20,052 | 19,840 | 19,765 | 2,079 |
| 26' | 312" x 60" | M/TD1/31260 | 21,591 | 20,338 | 21,355 | 21,050 | 21,050 | 2,772 |
| | | | | | | | | |

| how to order | | | abination base configurations | | | |
|----------------------------|---------|--------------|-------------------------------|-----------------------|--|--|
| please specify | example | table length | half panel/panel bases | panel/rectangle bases | | |
| 1 model number & base code | · | 12' - 18' | 2 half panel & 1 panel | 2 nanel & 1 rectangle | | |

$Simple ``conference\ table\ tops\ and\ bases$

boat tables

| 48" w x 39" | w ends | | half panel bases HB | panel bases PB | rectangle bases RB | combination half panel panel bases HP | combination panel rectangle bases PR | meeting link optional power/ voice/data 03 |
|-------------|-------------------------|--------------|----------------------------------|----------------|---------------------------------|---|--------------------------------------|---|
| length | size | model number | price | price | price | price | price | price |
| 8' | 96" x 48" | M/TE1/09648 | \$6,893 | \$6,305 | \$6,621 | na | na | \$693 |
| 10' | 120" x 48" | M/TE1/12048 | 7,850 | 7,265 | 7,628 | na | na | 693 |
| 12' | 144" x 48" | M/TE1/14448 | 9,984 | 9,104 | 9,558 | \$9,735 | \$9,422 | 1,386 |
| 14' | 168" x 48" | M/TE1/16848 | 11,040 | 10,160 | 10,668 | 10,764 | 10,516 | 1,386 |
| 16' | 192" x 48" | M/TE1/19248 | 12,096 | 11,216 | 11,776 | 11,794 | 11,609 | 1,386 |
| 18' | 216" x 48" | M/TE1/21648 | 13,153 | 12,272 | 12,887 | 12,825 | 12,704 | 1,386 |
| 20' | 240" x 48" | M/TE1/24048 | 15,285 | 14,111 | 14,817 | 14,903 | 14,606 | 2,079 |
| 22' | 264" x 48" | M/TE1/26448 | 16,343 | 15,169 | 15,927 | 15,933 | 15,699 | 2,079 |
| 24' | 288" x 48" | M/TE1/28848 | 17,398 | 16,225 | 17,035 | 16,964 | 16,793 | 2,079 |
| 26' | 312" x 48" | M/TE1/31248 | 18,455 | 17,281 | 18,145 | 17,992 | 17,886 | 2,772 |
| F 4" 42" | | | | | | | | |
| 54" w x 42" | | NA/TE4/00CE4 | 67.642 | 67.040 | 67.267 | | | ¢co2 |
| 8′ 10′ | 96" x 54" 120" x 54" | M/TE1/09654 | \$7,643 | \$7,018 | \$7,367 | na | na | \$693 693 |
| 10 12' | 120 x 54 144" x 54" | M/TE1/12054 | 8,724 | 8,222 | 8,503 | na ¢10.780 | na \$10,470 | |
| | | M/TE1/14454 | 11,055 | 10,116 | 10,623 | \$10,780 | | 1,386 |
| 14' | 168" x 54" | M/TE1/16854 | 12,240 | 11,301 | 11,866 | 11,935 | 11,698 | 1,386 |
| 16' | 192" x 54" | M/TE1/19254 | 13,425 | 12,486 | 13,109 | 13,089 | 12,922 | 1,386 |
| 18' | 216" x 54" | M/TE1/21654 | 14,607 | 13,668 | 14,352 | 14,242 | 14,147 | 1,386 |
| 20′ | 240" x 54" | M/TE1/24054 | 16,940 | 15,687 | 16,471 | 16,517 | 16,237 | 2,079 |
| 22' | 264" x 54" | M/TE1/26454 | 18,125 | 16,872 | 17,716 | 17,672 | 17,461 | 2,079 |
| 24' | 288" x 54" | M/TE1/28854 | 19,308 | 18,057 | 18,959 | 18,825 | 18,688 | 2,079 |
| 26′ | 312" x 54" | M/TE1/31254 | 20,492 | 19,241 | 20,202 | 19,980 | 19,914 | 2,772 |
| 60" w x 44" | w ends | | | | | | | |
| 8' | 96" x 60" | M/TE1/09660 | \$8,226 | \$7,599 | \$7,980 | na | na | \$693 |
| 10' | 120" x 60" | M/TE1/12060 | 9,363 | 8,736 | 9,173 | na | na | 693 |
| 12' | 144" x 60" | M/TE1/14460 | 11,751 | 10,813 | 11,353 | \$11,457 | \$11,190 | 1,386 |
| 14' | 168" x 60" | M/TE1/16860 | 12,993 | 12,055 | 12,657 | 12,668 | 12,476 | 1,386 |
| 16' | 192" x 60" | M/TE1/19260 | 14,234 | 13,296 | 13,961 | 13,879 | 13,761 | 1,386 |
| 18' | 216" x 60" | M/TE1/21660 | 15,476 | 14,538 | 15,264 | 15,089 | 15,046 | 1,386 |
| 20' | 240" x 60" | M/TE1/24060 | 17,866 | 16,614 | 17,444 | 17,419 | 17,195 | 2,079 |
| 22' | 264" x 60" | M/TE1/26460 | 19,107 | 17,855 | 18,748 | 18,629 | 18,480 | 2,079 |
| 24' | 288" x 60" | M/TE1/28860 | 20,349 | 19,097 | 20,052 | 19,840 | 19,765 | 2,079 |
| 26' | 312" x 60" | M/TE1/31260 | 21,591 | 20,338 | 21,355 | 21,050 | 21,050 | 2,772 |
| | | | | | | | | |

how to order combination base configurations

| please specify | example | table length | half panel/panel bases | panel/rectangle bases |
|---|------------------|--------------|------------------------|---|
| model number & base code wood color apptiiomall prower//woice//dlatta 0: notes: | DC | 20'-24' | | 2 panel & 1 rectangle 2 panel & 2 nectangle 3 panel & 2 nectangle)(alternating panel/ |
| see page 6 for wood colors | a specifications | rectamgle) | | |

arc boat tables

| 48" w x 39' | ' w ends | | half panel bases HB | panel bases PB | rectangle bases RB | combination half panel panel bases HP | combination panel rectangle bases PR | meeting link optional power/ voice/data 03 |
|-------------|------------|--------------|----------------------------------|-------------------|---------------------------------|---|--------------------------------------|---|
| length | size | model number | price | price | price | price | price | price |
| 8′ | 96" x 48" | M/TF1/09648 | \$7,239 | \$6,621 | \$6,953 | na | na | \$693 |
| 10' | 120" x 48" | M/TF1/12048 | 8,245 | 7,628 | 8,010 | na | na | 693 |
| 12' | 144" x 48" | M/TF1/14448 | 10,482 | 9,558 | 10,037 | \$10,222 | \$9,894 | 1,386 |
| 14' | 168" x 48" | M/TF1/16848 | 1,159 | 10,668 | 11,202 | 11,302 | 11,040 | 1,386 |
| 16' | 192" x 48" | M/TF1/19248 | 12,702 | 11,776 | 12,366 | 12,384 | 12,189 | 1,386 |
| 18' | 216" x 48" | M/TF1/21648 | 13,811 | 12,887 | 13,531 | 13,465 | 13,337 | 1,386 |
| 20' | 240" x 48" | M/TF1/24048 | 16,049 | 14,817 | 15,558 | 15,648 | 15,337 | 2,079 |
| 22' | 264" x 48" | M/TF1/26448 | 17,159 | 15,875 | 16,722 | 16,730 | 16,483 | 2,079 |
| 24' | 288" x 48" | M/TF1/28848 | 18,269 | 17,035 | 17,887 | 17,810 | 17,632 | 2,079 |
| 26′ | 312" x 48" | M/TF1/31248 | 19,377 | 18,145 | 19,051 | 18,893 | 18,780 | 2,772 |
| 54" w x 42 | " w ends | | | | | | | |
| 8' | 96" x 54" | M/TF1/09654 | \$8,025 | \$7,367 | \$7,737 | na | na | \$693 |
| 10' | 120" x 54" | M/TF1/12054 | 9,160 | 8,503 | 8,928 | na | na | 693 |
| 12' | 144" x 54" | M/TF1/14454 | 11,608 | 10,623 | 12,458 | \$11,319 | \$10,994 | 1,386 |
| 14' | 168" x 54" | M/TF1/16854 | 12,851 | 11,866 | 13,766 | 12,530 | 12,281 | 1,386 |
| 16' | 192" x 54" | M/TF1/19254 | 14,096 | 13,109 | 15,071 | 13,743 | 13,568 | 1,386 |
| 18' | 216" x 54" | M/TF1/21654 | 15,339 | 14,352 | 17,296 | 14,955 | 14,854 | 1,386 |
| 20' | 240" x 54" | M/TF1/24054 | 17,786 | 16,471 | 17,813 | 17,342 | 17,049 | 2,079 |
| 22' | 264" x 54" | M/TF1/26454 | 19,020 | 17,716 | 18,600 | 18,554 | 18,336 | 2,079 |
| 24' | 288" x 54" | M/TF1/28854 | 20,274 | 18,959 | 19,907 | 19,766 | 19,623 | 2,079 |
| 26' | 312" x 54" | M/TF1/31254 | 21,517 | 20,202 | 21,212 | 20,978 | 20,909 | 2,772 |
| 60" w x 44 | "w ends | | | | | | | |
| 8′ | 96" x 60" | M/TF1/09660 | \$8,637 | \$7,980 | \$8,378 | na | na | \$693 |
| 10' | 120" x 60" | M/TF1/12060 | 9,830 | 9,173 | 9,632 | na | na | 693 |
| 12' | 144" x 60" | M/TF1/14460 | 12,029 | 11,353 | 11,921 | \$12,031 | \$11,750 | 1,386 |
| 14' | 168" x 60" | M/TF1/16860 | 13,643 | 12,657 | 13,290 | 13,302 | 13,099 | 1,386 |
| 16' | 192" x 60" | M/TF1/19260 | 14,946 | 13,961 | 14,658 | 14,573 | 14,450 | 1,386 |
| 18' | 216" x 60" | M/TF1/21660 | 16,251 | 15,264 | 16,028 | 15,844 | 15,798 | 1,386 |
| 20' | 240" x 60" | M/TF1/24060 | 18,759 | 17,444 | 18,315 | 18,289 | 18,055 | 2,079 |
| 22' | 264" x 60" | M/TF1/26460 | 20,063 | 18,748 | 19,686 | 19,562 | 19,404 | 2,079 |
| 24' | 288" x 60" | M/TF1/28860 | 21,361 | 20,052 | 21,054 | 20,830 | 20,754 | 2,079 |
| 26' | 312" x 60" | M/TF1/31260 | 22,669 | 21,355 | 22,422 | 22,102 | 22,102 | 2,772 |
| | | | | | | | | |

| how to order | | | combination base configurations | | | |
|-----------------------------|----------------|--------------|---------------------------------|-----------------------|--|--|
| | | | | | | |
| please specify | example | table length | half panel/panel bases | panel/rectangle bases | | |
| 1. model number & base code | M/TF1/16860/PR | 12' - 18' | 2 half panel & 1 panel | 2 panel & 1 rectangle | | |

Simple" conference table tops and bases

racetrack tables

| 48" wide | | | half | | combination | optional, | |
|----------|------------|---------------|------------|------------|-------------------------------|----------------------|--|
| | | | | | halt drum/ | nower/ | |
| | | | drum bases | drum bases | half drum/ rectangle bases | power/ voice/data | |
| | | | HD | DB | DR | 03 | |
| length | size | mmodel number | price | price | price | price | |
| 8′ | 96" x 48" | M/TG1/09648 | \$6,495 | \$6,694 | na | \$693 | |
| 10' | 120" x 48" | M/TG1/12048 | 7,380 | 7,608 | na | 693 | |
| 12' | 144" x 48" | M/TG1/14448 | na | 9,705 | \$10,388 | 1,386 | |
| 14' | 168" x 48" | M/TG1/16848 | na | 10,711 | 11,593 | 1,386 | |
| 16′ | 192" x 48" | M/TG1/19248 | na | 11,717 | 12,799 | 1,386 | |
| 18' | 216" x 48" | M/TG1/21648 | na | 12,723 | 14,004 | 1,386 | |
| 20' | 240" x 48" | M/TG1/24048 | na | 14,818 | 1,613 | 2,079 | |
| 22' | 264" x 48" | M/TG1/26448 | na | 15,824 | 17,307 | 2,079 | |
| 24' | 288" x 48" | M/TG1/28848 | na | 16,830 | 18,513 | 2,079 | |
| 26' | 312" x 48" | M/TG1/31248 | na | 17,836 | 19,719 | 2,772 | |
| F # | | | | | | | |
| 54" wide | | /== . /=== . | 4 | 4 | | + | |
| 8' | 96" x 54" | M/TG1/09654 | \$7,196 | \$7,419 | na | \$693 | |
| 10′ | 120" x 54" | M/TG1/12054 | 8,195 | 8,448 | na ć44.542 | 693 | |
| 12' | 144" x 54" | M/TG1/14454 | na | 10,737 | \$11,543 | 1,386 | |
| 14′ | 168" x 54" | M/TG1/16854 | na | 11,866 | 12,894 | 1,386 | |
| 16′ | 192" x 54" | M/TG1/19254 | na | 12,993 | 14,247 | 1,386 | |
| 18′ | 216" x 54" | M/TG1/21654 | na | 14,121 | 15,597 | 1,386 | |
| 20′ | 240" x 54" | M/TG1/24054 | na | 16,412 | 17,901 | 2,079 | |
| 22′ | 264" x 54" | M/TG1/26454 | na | 17,539 | 19,252 | 2,079 | |
| 24′ | 288" x 54" | M/TG1/28854 | na | 18,666 | 20,604 | 2,079 | |
| 26′ | 312" x 54" | M/TG1/31254 | na | 19,795 | 21,954 | 2,772 | |
| 60" wide | | | | | | | |
| 8′ | 96" x 60" | M/TG1/09660 | \$7,732 | \$7,974 | na | \$693 | |
| 10' | 120" x 60" | M/TG1/12060 | 9,903 | 9,055 | na | 693 | |
| 12' | 144" x 60" | M/TG1/14460 | na | 11,401 | \$12,338 | 1,386 | |
| 14' | 168" x 60" | M/TG1/16860 | na | 12,582 | 13,754 | 1,386 | |
| 16′ | 192" x 60" | M/TG1/19260 | na | 13,766 | 15,172 | 1,386 | |
| 18′ | 216" x 60" | M/TG1/21660 | na | 14,949 | 16,588 | 1,386 | |
| 20' | 240" x 60" | M/TG1/24060 | na | 17,293 | 18,958 | 2,079 | |
| 22' | 264" x 60" | M/TG1/26460 | na | 18,476 | 20,374 | 2,079 | |
| 24' | 288" x 60" | M/TG1/28860 | na | 19,657 | 21,791 | 2,079 | |
| 26′ | 312" x 60" | M/TG1/31260 | na | 20,841 | 23,208 | 2,772 | |
| | | | | | | | |

combination base configurations how to order

| please specify | example | table length | half drum/rectangle bases |
|---|---------|-------------------------------|---|
| model number & base code wood color optional power/voice/data Control | DC | 12' - 18' 20' - 24' 26' | 2 half drum & 1 rectangle 2 half drum & 1 rectangle 2 half drum & 1 rectangle |

see page 6 for wood colors see page 8 for power/voice/data specifications

viewpoint tables

| ends are 3 | 0" w and 60" w | | half panel bases HB | panel bases PB | rectangle bases RB | combination half panel/ panel bases HP | combination panel/ rectangle bases PR | optional power/ voice/data 03 |
|------------|----------------|--------------|----------------------------------|--------------------------|---------------------------------|--|---|---|
| length | size | model number | price | price | price | price | price | price |
| 8′ | 96" x 60" | M/TH1/09660 | \$7,831 | \$7,224 | \$7,678 | na | na | \$693 |
| 10' | 120" x 60" | M/TH1/12060 | 9,110 | 8,479 | 8,931 | na | na | 693 |
| 12' | 144" x 60" | M/TH1/14460 | 11,952 | 11,050 | 11,717 | \$11,702 | \$11,472 | 1,386 |
| 14' | 168" x 60" | M/TH1/16860 | 13,571 | 12,639 | 13,307 | 13,325 | 13,062 | 1,386 |
| 16' | 192" x 60" | M/TH1/19260 | 14,835 | 13,877 | 14,543 | 14,585 | 14,300 | 1,386 |
| 18' | 216" x 60" | M/TH1/21660 | 16,485 | 15,495 | 16,163 | 16,237 | 15,917 | 1,386 |
| 20' | 240" x 60" | M/TH1/24060 | 18,780 | 17,524 | 18,412 | 18,706 | 18,339 | 2,079 |











| how | to | orc | ىما |
|-----|----|-----|-----|
| HUW | ιυ | OIC | ıeı |

see page 6 for wood colors

see page 8 for power/voice/data specifications

combination base configurations

| please specify | example | table length | half panel/panel bases | panel/rectangle bases |
|---|---------|------------------|--|--|
| model number & base code wood color optional power/voice/data (notes: | DC | 12' - 18' 20' | 2 half panel & 1 panel 2 half panel & 2 panel | 2 panel & 1 rectangle 2 panel & 2 rectangle |

Simple[™] elements

storage credenzas/e-credenzas units require finishing top—ends are color coat silver

cabinet with box/recycle drawer single wide cabinet double wide cabinet double wide e-cabinet equipment with one door and one shelf with two doors and one shelf rack ready with one door one vented and single door and shelf door and vented back 16w 16d 30h M/CSA/01616 \$1,540 32w 16d 30h M/CSA/03216 \$2,379 32w 22d 30h M/CSC/03222 \$2,475 32w 16d 30h M/CSD/03216 \$3,345 16w 22d 30h M/CSB/01622 \$1,776 32w 22d 30h M/CSB/03222 32w 22d 30h M/CSE/03222 \$2,745 vented door right -R \$3,701 drawers right -R door hinged right -R equipment rack ready with vented bottom/back -E

| buffet credenzas | units require | finishing ton- | ends are | color coat | silver |
|------------------|---------------|----------------|----------|------------|--------|
| | | | | | |

double wide cabinet with open bookcase and one shelf double wide buffet cabinet with pull out service shelf, two doors and buffet cabinet with pull out service shelf, utensil/box/recycle drawers, door and shelf

one shelf

32w 16d 35h M/CBC/03216 \$3,977

\$1,462 32w 16d 35h M/CBA/03216 32w 16d 30h M/BKG/03216 32w 22d 30h M/BKC/03222 \$1,817 32w 22d 35h M/CBB/03222

32w 22d 35h M/CBD/03222 \$4,445 drawers right -R

\$3,086

\$3,468







| finishing tops | | how to order | | wood veneers and colors |
|--|--|---|---|--|
| wood | | please specify | example | |
| 16w 16d .75h M/WFT/01616 32w 16d .75h M/WFT/03216 48w 16d .75h M/WFT/04816 64w 16d .75h M/WFT/06416 16w 22d .75h M/WFT/01622 32w 22d .75h M/WFT/03222 48w 22d .75h M/WFT/04822 64w 22d .75h M/WFT/06422 80w 22d .75h M/WFT/08022 96w 22d .75h M/WFT/09622 | \$306 \$404 \$495 \$591 \$342 \$465 \$586 \$708 \$831 \$953 | cabinet(s) from finishing top wood of | a. cabinet M/CSD/01616 b. cabinet M/CSA/01616 M/WFT/01616 | see page 6 for colors and model numbers |



Simple™ elements

low credenzas ends are color coat silver

wall mount buffet

single wide cabinet ends open shelving middle

cabinet divider behind doors in middle 2 wood sliding doors

cabinet divider behind doors in middle wall mount wood serving cabinet

pen sherving middle 2 wood shaing doo

64w 16d 27h M/CNA/06416 \$4,378 72w 16d 27h M/CNG/07216 \$4,560 64w 10d 9h M/WMB/06409 \$1,134

64w 22d 27h M/CNA/06422 \$4,863 72w 22d 27h M/CNG/07222 \$5,041








wall mount for flat screen monitor

vertical grain wood mounting face 3/4"d with 2"d cabinet behind for wire management

48w 8d 30h M/MPM/04808 \$1,220 64w 8d 42h M/MPM/06408 \$1,684



hospitality cart ends are color coat silver

lectern ends are color coat silver

double wide cabinet with pull out serving shelf, bumper guard on bottom and four casters

2 legs front, 2 casters back, raised etched glass water glass shelf, adjustable reading shelf, bumper guard on bottom

32w 22d 36h M/HOC/03236 \$3,485

32w 22d 48h M/LEC/04832 \$3,591





visual boards

wood doors with silver colorcoat trim top and porcelain enamel writing surface with pull down projection screen wood doors

with silver colorcoat trim top and bottom porcelain enamel writing surface with pull down projection screen

48w 3.5d 49h M/VIS/04849 \$1,942 72w 3.5d 49h M/VIS/07249 \$2,361





| how to order | wood veneers and colors |
|------------------------|---|
| | |
| please specify example | |
| 1. model M/VIS/07249 | see page 6 for colors and model numbers |

M/VIS/07249 see page 6 for colors and model numbers 2. wood color DC

Simple™ preconfigured

storage credenzas ends are color coat silver

single wide cabinet left double side cabinet right single wide cabinet left and right box drawer/recycle bin cabinet middle

single wide cabinet left, double wide cabinet right with vented door and back

for rack equipment

48w 16d 30h M/CSA/04816 48w 22d 30h M/CSB/04822

\$3,707 48w 16d 30h M/CSD/04816 \$4,300 48w 22d 30h M/CSE/04822

\$5,256

\$4,672 48w 22d 30h M/CSC/04822 \$4,030







buffet credenzas ends are color coat

silver

2 double wide cabinets with 4h etched glass buffet shelf

2 double wide cabinets with 2 pull out serving shelves

utensil drawer/box drawer/recycle bin cabinet single wide cabinet double wide cabinet and

1 pull out serving shelves

64w 16d 34h M/CGA/06416 64w 22d 34h M/CGB/06422

\$5,872 64w 16d 35h M/CBA/06416 \$6,594 64w 22d 35h M/CBB/06422

\$5,961 64w 16d 35h M/CBC/06416 \$6,716 64w 22d 35h M/CBD/06422

\$6,851 \$7,694





2 double wide cabinets, 22d version may be specified as e-credenza vented with etched glass top back and bottom for rack mount

2 double wide cabinets

box drawer/recycle bin cabinet single wide cabinet double wide cabinet

64w 16d 30h M/CSA/06416 64w 22d 30h M/CSB/06422 \$5,269

\$4,547

64w 16d 30h M/CGC/06416 64w 22d 30h M/CGD/06422

64w 16d 30h M/CSD/06416 \$5,655 \$6,727 64w 22d 30h M/CSE/06422

\$5,511 64w 22d 30h M/CSC/06422


\$6,225

\$4,999




e-credenza -e







how to order wood veneers and colors please specify example M/MDZ/06416 1. product see page 6 for colors and model 2. wood color numbers DC



N~E~V~E~R~S~|~ The Complete Meeting Room $^{\scriptscriptstyle{\mathsf{TM}}}$

6845 Wedgwood Court N I Maple Grove I Minnesota 55311 P: $763.553.1632 \mid 800.242.2443 \mid F: 763.553.1770$ www.nevers.com